

QDTB® TRANSFORMER

HXGN15

High Voltage Switchgear

PRODUCT DATASHEET

Shandong Yaqing Electric Power Technology Co., Ltd.
qdtb-transformer.com · Alice@qdtb-transformer.com

HXGN15 — Series Overview

The HXGN15 series fixed-type SF6 insulated switchgear provides an economical solution for ring main and terminal distribution applications. Type-tested to IEC 62271-200, features SF6 gas insulation for reliable indoor switching performance.

Key Features

- SF6 gas-insulated fixed switchgear
- Economical solution for distribution applications
- Type-tested to IEC 62271-200
- Suitable for ring main and terminal distribution

Typical Applications

- Ring main distribution systems
- Terminal distribution substations
- Industrial power intake points
- Commercial building switchrooms

Model Number Breakdown

- H — Ring main unit (Huanwangui)
- X — Switchgear (Xinggaoqi)
- G — Fixed type (Guding)
- N — Indoor use (Nei)
- 15 — Design series number

Model Specifications

3 model(s) in the HXGN15 series. Weight and dimensions are typical reference values, subject to confirmation.

Model	Rated Voltage	Rated Current	Rated Breaking Current	Short-time Withstand (kA/4s)	Protection Level	Mechanical Life (ops)	Operating Mechanism	Standard	Weight (kg) †	Dimensions (L×W×H) †
HXGN15-12(SF6)	12 kV	630 A	20 kA	20 kA	IP4X	5000	Spring-operated (load-break switch)	GB3906, IEC 62271-200	600 kg	900×900×2000 mm
HXGN15-12(SF6)(60Hz)	12 kV	630 A	20 kA	20 kA	IP4X	5000	Spring-operated (load-break switch)	GB3906, IEC 62271-200	600 kg	900×900×2000 mm
HXGN15-12(SF6)	12 kV	630 A	20 kA	20 kA	IP4X	5000	Spring-operated (load-break switch)	GB3906, IEC 62271-200	600 kg	900×900×2000 mm

† Typical values, subject to confirmation. Final dimensions and weights are per factory GA drawings and routine test reports.

Standards & Certification

ISO 9001 Certified — Quality Management System
CE marking — available on selected models
Design and testing per IEC 60076, IEC 60076-11 (dry-type), IEC 61330 (substations), GB 1094 and related international standards.

Note: Certification details and test reports are provided upon request for the specific model and destination market.

Inquiry & Contact

Website	https://qdtb-transformer.com
Email	Alice@qdtb-transformer.com
WhatsApp	+86 13698683193
Phone	+86 13698683193
Address	No. 50, Jifa Longshan Road, Environmental Protection Industrial Park, Jimo District, Qingdao, Shandong, China

QDTB® guarantees a response within 24 hours on business days. Send your model, capacity, voltage and quantity for a detailed quotation.